
LISTED BY NOMINAL DIAMETER "D"

FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
1	12141	8.5	5	2		26	11209	15	9.8	3.5		51	11208	15.87	8.6	5.8	
2	18006	9.6	6.1	2.8		27	11362	15	9.9	3.6		52	11709	15.87	8.7	4.5	
3	11348	11	6	4		28	11332	15.87		4.8		53	11439	15.87	8.8	5	
4	12564	12	7	2.9		29	11397	15.87		5		54	11732	15.87	8.8	6.7	
5	11349	12	7	4		30	10601	15.87		5.8		55	11369	15.87	8.9	6.1	
6	11329	12.2	7.3	4.1		31	11395	15.87		7.1		56	10536A	15.87	9	3.5	
7	10681B	12.5	7.3	2.7		32	10551	15.87		9.3		57	11636	15.87	9	6.5	
8	11713	12.5	8.2	3.5		33	11339	15.87	5	3.8		58	11236	15.87	9	6.8	
9	11328	12.6	5.6	3.5		34	11675	15.87	6.7	5.5		59	11624	15.87	9.1	6.5	
10	10844	12.7	7	4		35	11257	15.87	7	4.9		60	11405	15.87	9.7	5.8	
11	11334	12.7	7.5	3.9		36	18012	15.87	7.6	4.5		61	11422	15.87	9.8	4	
12	19683A	12.7	7.8	4		37	11768	15.87	7.6	5.4		62	11463	15.87	9.8	5.8	
13	10681	13	8.6	2.8		38	11243	15.87	7.6	5.6		63	11355	15.87	9.9	3.6	
14	10675	13.7	6.3	4.2		39	11429	15.87	7.6	5.6		64	11237	15.87	9.9	6.5	
15	12072	13.8	9.9	3		40	10658	15.87	7.6	6.6		65	11616	15.87	10	4.1	
16	10841	13.9	8.2	4		41	11615	15.87	7.7	4.5		66	11626	15.87	10.3	4.6	
17	11765	14	7.7	4.6		42	12591	15.87	7.8	4.6		67	11335	15.87	10.4	4.8	
18	11401	14.29		6.6		43	11330	15.87	7.9	3.6		68	12160	15.87	11.2	5.8	
19	11748	14.29	7.2	5.4		44	11340	15.87	8.2	5.2		69	18044	15.9	10	4.8	
20	11447	14.29	7.6	6.1		45	11618	15.87	8.2	6.5		70	11540	16.2	9.9	3.4	
21	11213	14.29	8.6	4.3		46	11617	15.87	8.3	4.1		71	12140	16.27	9.4	3.2	
22	11710	14.29	9.5	3.6		47	11625	15.87	8.4	5		72	11694	16.8	8.7	4.9	
23	10600	15		6.3		48	11354	15.87	8.5	4.6		73	10681A	16.8	11.3	2.6	
24	11361	15	6.1	6.4		49	11331	15.87	8.6	4		74	11420	17.46		5.9	
25	11498	15	8	5.3		50	12119	15.87	8.6	4.8		75	10602	17.46		6	







LISTED BY NOMINAL DIAMETER "D"




FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
76	10552	17.46		8		101	11451	17.46	10.3	8		126	10603	19.05		6.5	
77	11496	17.46		8.2		102	18011	17.46	10.5	4.7		127	10606	19.05		6.5	
78	11421	17.46	6	6.8		103	11406	17.46	10.5	4.8		128	10553	19.05		7.4	
79	11310	17.46	7	4.8		104	18049	17.46	10.5	5		129	10556	19.05		7.4	
80	11776	17.46	7	6.5		105	10502	17.46	10.5	9.5		130	10556A	19.05		8.8	
81	11719	17.46	7.6	5.6		106	10537	17.46	10.8	3.6		131	10556B	19.05		8.9	
82	11493	17.46	7.7	4.5		107	11216	17.46	10.8	4.1		132	10553A	19.05		10.8	
83	11390	17.46	7.8	5.5		108	12153	17.46	10.8	4.9		133	11697	19.05	7.5	4.6	
84	12180	17.46	8	4		109	11720	17.46	10.8	5.5		134	12124	19.05	7.7	4.5	
85	12145	17.46	8.5	3.9		110	11221	17.46	10.8	6.5		135	11399	19.05	7.8	4.5	
86	11333	17.46	8.5	6		111	11499	17.46	11	4.3		136	11336	19.05	8.2	6.3	
87	10629	17.46	8.6	5		112	11698	17.46	11	5		137	10576	19.05	8.5	4.8	
88	11240	17.46	8.6	5		113	11210	17.46	11.2	4		138	10660	19.05	8.5	6.2	
89	11431	17.46	8.6	5.9		114	11718	17.46	13.7	2.7		139	10660M	19.05	8.5	6.3	
90	12179	17.46	8.8	4.5		115	12115	17.48	10	5.7		140	11305	19.05	8.7	3.6	
91	12194	17.46	9	5		116	11481	17.5	8.8	5		141	12569	19.05	8.8	6.4	
92	10641M	17.46	9	6.6		117	10659	17.78	8.6	6.6		142	11419	19.05	8.8	6.8	
93	11734	17.46	9.1	5.1		118	10655	17.78	9.7	4.9		143	10660C	19.05	8.8	7.3	
94	10655A	17.46	9.4	5.2		119	11408	17.78	10.6	4.8		144	11484	19.05	9	7.3	
95	12185	17.46	9.4	6		120	10640B	17.78	11	5.7		145	11360	19.05	9.2	4.7	
96	11248	17.46	9.5	5.25		121	12427	18.1	12.5	3		146	11256	19.05	9.3	3.9	
97	11757	17.46	9.5	6.3		122	10681C	18.4	13.5	2.8		147	12164	19.05	9.3	4.2	
98	11728	17.46	9.8	5.5		123	10550C	19.05		4.5		148	11665	19.05	9.6	7.3	
99	12161	17.46	10	6		124	11600	19.05		6		149	11699	19.05	9.8	4.5	
100	11239	17.46	10.1	6.1		125	11414	19.05		6.3		150	11410	19.05	9.9	6.4	



LISTED BY NOMINAL DIAMETER "D"




FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
151	12565	19.05	10	4		177	11647	19.05	11.1	5.8		202	10536	19.05	13	3.1	
152	11761	19.05	10	5		178	10539	19.05	11.2	4		203	11746	19.05	13	4.1	
153	11749	19.05	10	5.9		179	11752	19.05	11.2	4		204	10952	19.05	13.2	2.8	
154	12174	19.05	10.1	4.6		180	11376	19.05	11.3	6.5		205	11356	19.05	13.5	3.8	
155	11610	19.05	10.1	5.3		181	11371	19.05	11.3	8.6		206	12111	19.05	13.5	5	
156	11441	19.05	10.1	6.8		182	12126	19.05	11.5	4		207	18022	19.2	13	4	
157	10529	19.05	10.2	8.2		183	12162	19.05	11.5	5		208	11642	19.4	14.1	3.4	
158	10657	19.05	10.4	5		184	11611	19.05	11.5	5.8		209	11385	19.65	14.1	2.75	
159	10640	19.05	10.4	6.4		185	11394	19.05	11.5	6.1		210	10543	20	13.7	3.7	
160	12173	19.05	10.5	4		186	11402	19.05	11.6	4.2		211	11470	20.6	11.3	5.5	
161	11398	19.05	10.5	5		187	10682	19.05	11.6	5		212	11415	20.64		6.5	
162	10906	19.05	10.5	7		188	12167	19.05	11.6	8.4		213	10607	20.64		7	
163	10641D	19.05	10.6	6.3		189	12120	19.05	11.7	6.9		214	11413	20.64		7	
164	11412	19.05	10.7	4.1		190	11679	19.05	11.8	4.6		215	18050	20.64		7	
165	11763	19.05	10.8	4.7		191	11250	19.05	11.8	4.9		216	10557	20.64		8.8	
166	10503	19.05	10.8	7		192	18008	19.05	11.8	6.2		217	11716	20.64	7.6	7	
167	10663	19.05	10.9	4.8		193	11612	19.05	12	7		218	11715	20.64	7.8	6.9	
168	11247	19.05	11	3.9		194	11306	19.05	12.3	4		219	11483	20.64	7.9	7	
170	11704	19.05	11	4.6		195	11464	19.05	12.3	4.5		220	11380	20.64	8.3	7.5	
171	10656	19.05	11	5		196	12175	19.05	12.3	5.5		221	11224	20.64	8.6	3.7	
172	10550B	19.05	11	5		197	18014	19.05	12.4	4.8		222	11363	20.64	8.7	5.1	
173	12100	19.05	11	5.2		198	10640A	19.05	12.4	5.4		223	11418	20.64	9.5	7.4	
174	12116	19.05	11	5.8		199	12118	19.05	12.4	5.8		224	11391	20.64	9.9	4.5	
175	10506	19.05	11	7		200	10502A	19.05	12.7	9.5		225	11259	20.64	9.9	4.8	
176	11359	19.05	11.1	5		201	11659	19.05	12.8	3.8		226	10661A	20.64	9.9	6.4	

RUBBER SEALS FOR



LISTED BY NOMINAL DIAMETER "D"




FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
227	12556	20.64	10	6.6		252	11403	20.64	12.4	4		277	11712	20.64	14.4	4.1	
228	11613	20.64	10	7.5		253	11766	20.64	12.4	6.4		278	12135	20.64	15.6	7	
229	11758	20.64	10	8		254	10682C	20.64	12.5	5.5		279	11386	21.2	15.7	2.75	
230	11601	20.64	10.2	4		255	11211	20.64	12.7	4		280	18042	21.8	16.5	4	
231	11471	20.64	10.4	4.7		256	11254	20.64	12.8	5		281	10550	22		4.75	
232	11670	20.64	10.4	5		257	12181	20.64	12.8	5.5		282	10604	22		7.9	
233	11217	20.64	10.6	6.7		258	11671	20.64	12.8	6		283	11711	22	13.3	3.9	
234	11303	20.64	11	4		259	11672	20.64	12.8	6		284	10550A	22	13.5	5	
235	12112	20.64	11.1	4.4		260	10507	20.64	12.9	6.8		286	10608	22.2		7	
236	11450	20.64	11.2	7.7		261	18040	20.64	13	4.2		287	11416	22.2		7	
237	11635	20.64	11.3	7.7		262	10839	20.64	13	4.8		288	10558	22.2		8	
238	11260	20.64	11.4	3.6		263	11379	20.64	13	6.5		289	10554	22.2		8	
239	10639A	20.64	11.5	6.4		264	11614	20.64	13	7		290	10558AL	22.2		9.9	
240	12593	20.64	11.6	5.1		265	11687	20.64	13.1	4.5		291	11654	22.2	8.3	4	
241	11230	20.64	11.8	4.4		266	11717	20.64	13.3	4.5		292	11346	22.2	9.2	4.5	
242	12592	20.64	11.8	5.7		267	12121	20.64	13.3	6.5		293	11673	22.2	9.7	5	
243	10639B	20.64	11.8	6.3		268	12137	20.64	13.3	10		294	11417	22.2	9.8	7.5	
244	11382	20.64	12	4.5		269	12129	20.64	13.5	7		295	11387	22.2	10.4	7.6	
245	10642	20.64	12	5		270	12577	20.64	13.6	4.7		296	12566	22.2	10.5	7	
246	11234	20.64	12	5		271	11381	20.64	13.6	5.1		297	10662M	22.2	10.6	6.9	
247	10559	20.64	12	5		272	11392	20.64	13.6	5.5		298	11215	22.2	10.6	6.9	
248	11234A	20.64	12	5.4		273	10633	20.64	13.6	5.7		299	11430	22.2	10.6	7.4	
249	11453	20.64	12.1	4.5		274	11364	20.64	13.7	5		300	10662	22.2	10.8	6.4	
250	10683	20.64	12.1	5.6		275	11344	20.64	13.8	4.9		301	11443	22.2	11	5.6	
251	11338	20.64	12.2	6		276	11223	20.64	14.3	3.8		302	11449	22.2	11	10.3	



LISTED BY NOMINAL DIAMETER "D"

FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
303	10668	22.2	11	13.3		328	12142	22.2	13.4	5.4		353	11674	22.2	14.2	5.4	
304	11619	22.2	11.2	4		329	11337	22.2	13.4	6		354	11300	22.2	14.7	5.85	
305	11231	22.2	11.4	4.8		330	11689	22.2	13.5	4.4		355	12136	22.2	15	3.7	
306	11428	22.2	11.5	7		331	11638	22.2	13.5	5.9		356	18001	22.2	15	5.2	
307	11454	22.2	11.7	7		332	11341	22.2	13.5	6.1		357	12586	22.2	15.2	4.8	
308	11608	22.2	11.8	4.6		333	10641A	22.2	13.5	6.7		358	12109	22.2	15.4	4.3	
309	11733	22.2	12	5		334	11631	22.2	13.5	7		359	11409	22.2	15.5	4.6	
310	11756	22.2	12	7		335	11643	22.2	13.6	6.6		360	10637	22.2	15.5	5.5	
311	11304	22.2	12.5	4		336	10508	22.2	13.6	7.8		361	11722	22.2	15.6	5.8	
312	11759	22.2	12.5	6		337	11656	22.2	13.7	5		362	11754	22.2	16	5	
313	11702	22.2	12.7	6.4		338	11620	22.2	13.7	8		363	11743	22.2	16.1	4.9	
314	11440	22.2	12.7	8.2		339	10643	22.2	13.8	5.3		364	11685	22.2	16.3	3.2	
315	11343	22.2	12.8	4.5		340	11389	22.2	13.8	6.1		365	11686	22.4	16.1	4.7	
316	11602	22.2	12.8	7		341	11220	22.2	13.8	6.6		366	10671U	22.7	13.5	6	
317	12583	22.2	12.9	4.6		342	11233	22.2	13.8	10		367	11708	22.8	14.5	5.1	
318	11232	22.2	13	3.7		343	11607	22.2	13.9	4.5		368	11658	22.9	16.3	5	
319	11725	22.2	13	4.7		344	11253	22.2	13.9	5.9		369	10674I	23	11	5	
320	11649	22.2	13	5.2		345	10661	22.2	13.9	6.9		370	11706	23	13.4	6.7	
321	11342	22.2	13.2	5		346	11367	22.2	14	3.8		371	18002	23	14.7	5.2	
322	10641B	22.2	13.2	6.4		347	11691	22.2	14	4.4		372	11301	23.6	12.4	6.5	
323	11632	22.2	13.2	7.7		348	11452	22.2	14	4.9		1999	52304	23.8	10.2	28.2	
324	11226	22.2	13.3	5		349	11633	22.2	14	7		373	18082	23.8	14.9	5.8	
325	10526	22.2	13.3	7.2		350	11442	22.2	14	7.9		374	10609	23.81		7.3	
326	11235	22.2	13.4	5		351	12575	22.2	14.1	5.3		375	11730	23.81		7.5	
327	12131	22.2	13.4	5.4		352	10541	22.2	14.2	5		376	10561AL	23.81		9	

RUBBER SEALS FOR



LISTED BY NOMINAL DIAMETER "D"

FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
377	11458	23.81	9.7	7.8		402	12168	23.81	14.6	4.5		427	11404	23.81	15.9	5	
378	11242	23.81	10.2	5		403	12183	23.81	14.6	8.2		428	11353	23.81	16	5.8	
379	18007	23.81	11.5	7.6		404	11351	23.81	14.6	10.3		429	11321	23.81	16	7.3	
380	11669	23.81	12.3	7.4		405	11407	23.81	14.7	6.3		430	11721	23.81	16.8	5.9	
381	11690	23.81	12.6	7.2		406	11629	23.81	14.8	4.8		431	11490	23.81	17.3	5	
382	11435	23.81	12.6	7.6		407	11244	23.81	14.8	4.9		432	11444	23.81	17.3	5.5	
383	11650	23.81	12.7	5		408	10682B	23.81	14.8	5.5		433	11241A	23.81	17.4	3.6	
384	11350	23.81	12.7	5.2		409	18037	23.81	15	4.1		434	11241	23.81	17.4	5	
385	11660	23.81	13	4.5		410	18038	23.81	15	4.2		435	11491	23.81	17.5	5	
386	12170	23.81	13	5.2		411	11661	23.81	15	4.3		436	106761	24	8.3	7	
387	11695	23.81	13.1	7.5		412	11663	23.81	15	4.5		437	11225	24.3	13.8	4	
388	11313	23.81	13.5	7.2		413	11681	23.81	15	5.1		438	10652	24.4	15.7	6.2	
389	11640	23.81	13.7	3.8		414	12182	23.81	15	5.3		439	10483	24.6	8.5	8.9	
390	11630	23.81	13.7	4.7		415	12132	23.81	15	5.4		440	11249	25	14.8	6.1	
391	11668	23.81	13.7	5		416	11488	23.81	15	5.9		441	12202	25.4		6.9	
392	11487	23.81	13.8	4.8		417	12128	23.81	15	6		442	11372	25.4		7	
393	11627	23.81	13.9	6.8		418	11320	23.81	15.1	6.3		443	10610	25.4		7	
394	12108	23.81	14	6.3		419	11645	23.81	15.2	4.9		444	10560A	25.4		7.5	
395	11494	23.81	14	6.4		420	11245	23.81	15.2	5.2		445	10560	25.4		9	
396	11352	23.81	14.2	6.2		421	11378	23.81	15.2	7.3		446	10560AL	25.4		9.5	
397	11314	23.81	14.2	6.5		422	11667	23.81	15.3	4.8		447	10560B	25.4		9.6	
398	11684	23.81	14.3	4		423	12107	23.81	15.3	7		448	11323	25.4		48	
399	10682A	23.81	14.4	5.9		424	11255	23.81	15.4	6.8		449	10689D	25.4	6	7.8	
400	11705	23.81	14.4	6.5		425	11700	23.81	15.5	5.8		450	10560C	25.4	8.5	9.2	
401	11760	23.81	14.5	5		426	11436	23.81	15.8	5.8		451	10689	25.4	9.7	8	




LISTED BY NOMINAL DIAMETER "D"

FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
452	11609	25.4	10	4.1		477	11726	25.4	15.7	7.3		502	11374	25.4	16.8	6.7	
453	10671	25.4	10.3	15.4		478	11682	25.4	15.8	6		503	11309	25.4	16.9	5.5	
454	11308	25.4	10.7	5		479	10646	25.4	15.8	7.5		504	11365	25.4	16.9	5.7	
455	11729	25.4	12	8.7		480	11212	25.4	15.9	6.8		505	11692	25.4	16.9	6.6	
456	10664	25.4	12.4	6.6		481	10683A	25.4	16	4		506	18034	25.4	17	5.7	
457	12177	25.4	13	5		482	18047	25.4	16	4.8		507	12122	25.4	17	6.2	
458	11238	25.4	13	9.9		483	11445	25.4	16	4.9		508	11357	25.4	17	6.6	
459	11457	25.4	13.4	8		484	11486	25.4	16	5		509	10510A	25.4	17	8.1	
460	12203	25.4	13.5	8		485	11411	25.4	16	6.8		510	10667	25.4	17.1	4.8	
461	11480	25.4	13.5	8.1		486	10510E	25.4	16	7		511	11485	25.4	17.1	6.3	
462	10510	25.4	13.7	7		487	12568	25.4	16	7.2		512	10648	25.4	17.3	4.7	
463	12125	25.4	14	4.8		488	11373	25.4	16	8.6		513	11201	25.4	17.3	7	
464	11736	25.4	14	8.5		489	12171	25.4	16.1	4.5		514	12133	25.4	18.2	3.9	
465	11666	25.4	14.1	5.1		490	12567	25.4	16.2	4.1		515	11724	25.4	18.4	5	
466	10524	25.4	14.1	5.2		491	12123	25.4	16.2	4.5		516	11723	25.4	18.5	5.5	
467	10684	25.4	14.6	7		492	10689B	25.4	16.2	7		517	10636	25.4	18.5	6	
468	12101	25.4	15.2	4.7		493	10646B	25.4	16.3	6.9		518	11683	25.4	19	2.7	
469	11641	25.4	15.3	4		494	11375	25.4	16.4	5		519	11653	25.6	13.2	7.3	
470	10651	25.4	15.3	6		495	11358	25.4	16.5	5.1		520	11693	25.8	14.2	3.9	
471	11322	25.4	15.3	7.2		496	11742	25.4	16.5	6.4		521	11648	26	16	5.4	
472	10689A	25.4	15.3	8.2		497	11664	25.4	16.6	5.5		522	11646	26	17.8	5.3	
473	10530	25.4	15.3	8.5		498	18039	25.4	16.8	5		523	12139	26.2	7.2	7.6	
474	10532	25.4	15.5	8.5		499	12159	25.4	16.8	5.4		546	11311	26.99		5	
475	10649	25.4	15.6	5.2		500	11345	25.4	16.8	5.6		547	10611	26.99		7.5	
476	12113	25.4	15.7	5.7		501	10540	25.4	16.8	6		548	10561	26.99		9.5	




LISTED BY NOMINAL DIAMETER "D"

FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
524	11676	26.99	12.8	5.2		552	11657	27.4	17.8	7		577	12176	28.57	16.2	4.4	
525	11434	26.99	13.8	7.9		553	11368	27.5	17	4		578	10512	28.57	17	7.5	
526	10579	26.99	14.4	10		554	18046	27.6	16.8	6.3		579	10634A	28.57	17.2	8	
527	12576	26.99	14.5	5		555	11741	27.78		7.9		580	11258	28.57	17.7	3.7	
528	11745	26.99	15.5	6.3		556	18077	27.8	20.2	4		581	12152	28.57	17.8	5.2	
529	10634	26.99	15.5	8		557	18043	28	18	6.8		582	12186	28.57	18	6	
530	10511	26.99	15.7	7.1		558	11302	28.1	17.7	6		583	12589	28.57	18.2	10.2	
531	11623	26.99	16.1	4		559	11246	28.4	15.9	10.2		584	11324	28.57	18.4	6.8	
532	12573	26.99	16.3	5.6		560	11680	28.5	15.5	4.5		585	12144	28.57	18.7	5	
533	12580	26.99	16.5	7.8		561	11474	28.57		7.9		586	12117	28.57	19	5.3	
534	11218	26.99	16.9	6		562	10612	28.57		8		587	12114	28.57	19	5.4	
535	11621	26.99	17	6.4		563	12103	28.57		8.5		588	10540W	28.57	19	6	
536	10533	26.99	17	8.5		564	10562	28.57		9		589	11222	28.57	19	7.4	
537	11622	26.99	17.4	7.3		565	11606AL	28.57		9.9		590	10729	28.57	19	9.5	
538	10647	26.99	17.5	7		566	10689C	28.57	7	8.1		591	11775	28.57	19.1	5.2	
539	12594	26.99	17.6	5.9		567	11495	28.57	12.9	7.5		592	10954	28.57	19.3	5.7	
540	11228	26.99	18	4.8		568	11438	28.57	13.3	9		593	11202	28.57	19.6	5.1	
541	12155	26.99	18	5		569	11252	28.57	14	5.8		594	12163	28.57	19.6	7.1	
542	12572	26.99	18.2	5.6		570	12178	28.57	14.5	4.8		595	12570	28.57	19.7	5.2	
543	11678	26.99	18.7	5.5		571	11731	28.57	14.5	7		596	12130	28.57	19.8	7.2	
544	11677	26.99	18.8	5.5		572	11707	28.57	14.6	6.4		597	11204	28.57	20.5	7.6	
545	11227	26.99	20	5.8		573	11750	28.57	15.2	8.5		598	11203	28.57	21.7	5.8	
549	18063	27.2	20	4.3		574	11755	28.57	15.6	6.9		599	10688	28.6	17	7.2	
550	11326A	27.4	17.8	6		575	11433	28.57	15.6	8.5		600	10689E	30	8	7.5	
551	11326	27.4	17.8	7		576	11634	28.57	16	4.5		601	10767	30	11.5	9	





LISTED BY NOMINAL DIAMETER "D"

FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION
602	11251	30	15.3	4.5		627	11466	31.75	16.5	9		652	11662	33.7	16.2	5.3	
603	12574	30	19	5.5		628	11747	31.75	17.5	10		653	11644	33.7	17.9	5.5	
604	11377	30	19.9	6.1		629	11753	31.75	18	8.9		654	18004	34	14.6	6	
605	10780	30	20.4	8.4		630	10514	31.75	18.5	7.5		655	11366	34	17.8	5.4	
606	11318	30	20.5	6.9		631	10544	31.75	19.5	7		656	11229	34	17.8	7.2	
607	11319	30	21.2	4.9		632	11456	31.75	19.7	9		657	18045	34	20.5	7	
608	11740	30.16		8		633	12127	31.75	20	6.5		658	11652	34.4	14.8	6.7	
609	11468	30.16	16.8	9.2		634	12134	31.75	20	7		659	12587	34.7	17.5	5	
610	18148	30.16	17.2	4.6		635	12581	31.75	20	8.6		660	10616	34.92		8.5	
611	11696	30.16	21.6	6		636	11472	31.75	20.1	8.5		661	10566	34.92		9.5	
612	18003	30.6	24.4	4.3		637	10668A	31.75	20.5	6.7		662	11469	34.92	17.4	8.7	
613	12599	30.7	23.8	4.3		638	12595	31.75	20.6	9.3		663	10516	34.92	22	8.3	
614	11603	31	19.5	7		639	12110	31.75	21	6		664	10669	34.92	23.4	6.6	
615	12585	31	20	6.2		640	11325	31.75	21	8.1		665	11735	34.92	23.5	9.6	
616	12598	31.6	21.4	4		641	18015	31.75	21.5	8.2		666	10781	34.92	24.5	7.9	
617	18005	31.7	14.6	6		642	11214	31.75	21.5	9		667	11751	34.92	25	5.6	
618	10614	31.75		8		643	11205	31.75	22	8.5		668	10678	34.92	26.5	6.5	
619	11473	31.75		8.9		644	12156	31.75	22.2	5		669	11448	36.5	0	9	
620	10564	31.75		9.5		645	10653	31.75	22.3	6.3		670	11475	36.5	22.2	8	
621	11605AL	31.75		10.7		646	18000	31.75	23	5		671	11455	36.5	22.3	8	
622	10564A	31.75		11		647	11327	33	19.2	6.2		672	12104	36.7	18	6.3	
623	10584A	31.75	11.7	5.5		648	11727	33.3		8.1		673	10594	37.3	30	3.8	
624	11347	31.75	11.7	5.5		649	11467	33.34	19.7	9.5		674	18048	37.4	15.3	5.2	
625	11384	31.75	14.3	8.8		650	12579	33.34	21	6.7		675	11432	37.7	26.8	6.7	
626	10666	31.75	16.2	6.8		651	12571	33.34	22	6.2		676	10618	38.1		9	





LISTED BY NOMINAL DIAMETER "D"

FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	FIG. N°	PIECE REFER.	D	d	H	SHAPE SECTION	
677	10568	38.1		10.5		703	11317	41.27	28.7	6		728	11425	50.8	37.2	10.3		
678	10568AL	38.1		10.5		704	12533	41.27	29.2	10.2		729	11478	57.15	38.5	8.9		
680	11604AL	38.1		11		705	11315	41.27	29.8	10.7		730	12597	57.15	42.5	9.3		
681	10598	38.1	16.2	8		706	12184	41.3	23	6.9		731	10837	60.72	46	9.5		
682	11219	38.1	22.9	7.9		707	11767	41.3	23.6	9.8		732	18031	62.7	55	7.5		
683	10518	38.1	23	7.5		708	11426	41.87	28.5	10.2								
684	11370	38.1	23.8	7.8		709	12146	42.9	32.5	9.1								
685	10528	38.1	25.5	7.5		710	11777	43.65	28.8	11.3								
686	11744	38.1	25.6	7		711	11497	43.65	30.6	6.3								
687	11312	38.1	25.7	9.6		712	12578	44	25.5	6								
688	12150	38.1	26	6.2		713	10622	44.45		9.5								
689	11460	38.1	26	10.5		714	10572	44.45		10.6								
690	10592	38.1	26.8	6.5		715	11400	44.45	29	8.5								
691	11424	38.1	27.3	8.7		716	11461	44.45	30.3	11.5								
692	12158	38.1	28	6.7		717	10522	44.45	30.5	8.6								
693	11206	38.1	28.4	8.4		718	10679	44.45	31	10.2								
694	11423	38.1	30.5	5.3		719	10628	44.45	32.5	9.6								
695	11465	38.9	24.2	10.2		720	11737	44.45	33.1	6.8								
696	10639	39.7	14	10.5		721	11207	44.45	33.5	9								
697	11437	40.5	30.1	6.6		722	12151	44.45	34.9	6.8								
698	18070	41.2	25	7.5		723	11738	44.45	36	3.5								
699	18071	41.2	28	8		724	10626	50.8		8.9								
700	18072	41.2	28.5	8.5		725	11393	50.8		10.8								
701	11739	41.27		10		726	11477	50.8	33	9.8								
702	11316	41.27	15.7	10		727	12166	50.8	36.1	8.3								